

	Type	L #	Hits	Search Text
1	BRS	L66	11265	( distance displac\$7 ) near3 ( scal\$4 )
2	BRS	L67	4675	66 and ( deflect\$5 deform\$5 strain stress bend\$5 flex\$5 stretch\$5 )
3	BRS	L68	686	67 and ( substrate )
4	BRS	L69	103	68 and ( rod )
5	BRS	L70	71	69 and ( ring spring )
6	BRS	L71	6	70 and ( anchor )
7	BRS	L72	8115	( meas\$6 detect\$6 sens\$6 transducer determin\$5 ) near3 ( deform\$6 deflect\$6 strain stress compress\$5 tens\$5 bend\$5 flex\$5 stretch\$5 ) near3 ( ring spring )
8	BRS	L73	484	72 and ( substrate )
9	BRS	L74	125	73 and ( rod )
10	BRS	L75	4	74 and ( anchor )
11	BRS	L76	36	74 and ( scal\$3 )
12	BRS	L77	7	76 and ( indicator )
13	BRS	L78	386092	( force pressure load stress strain weight compress\$5 tens\$5 ) near3 ( sens\$4 detect\$5 transducer )
14	BRS	L79	3559	78 and ( meas\$6 detect\$6 sens\$6 transducer determin\$5 ) near3 ( deform\$6 deflect\$6 strain stress compress\$5 tens\$5 bend\$5 flex\$5 stretch\$5 ) near3 ( ring spring )
15	BRS	L80	248	79 and ( substrate )
16	BRS	L81	16	80 and ( anchor )

	DBs	Time Stamp	Comments	Error Definition	Errors
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:12			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:10			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:14			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:11			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:14			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:14			0
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:15			0
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:16			0
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:16			0
14	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
15	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0

	Type	L #	Hits	Search Text
17	BRS	L82	2	81 and ( rod )
18	BRS	L83	0	micromechanical near2 dynamometer.clm.
19	BRS	L84	0	micromechanical near2 dynamometer.ti.
20	BRS	L85	0	micromechanical adj dynamometer
21	BRS	L86	0	micromechanical near2 dynamometer

	DBs	Tim Stamp	Comments	Error Definition	Errors
17	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:17			0
18	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:18			0
19	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:18			0
20	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:18			0
21	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 13:18			0